


## 92A - Llaves de tubo acodadas métricas



### Description:

-

	a [mm]	A [mm]	A [mm]	Longitud [mm]	Longitud L1 [mm]	Cabeza Anchura si [mm]	Altura H [mm]	Peso [Kg]
<b>92A.10</b>	10	10		118.0	36.5	16.0	23.0	0.065
<b>92A.10PB</b>		10		118.0	36.5	16.0	23.0	0.065
<b>92A.11</b>	11	11		118.0	36.5	17.0	23.0	0.07
<b>92A.11PB</b>		11		118.0	36.5	17.0	23.0	0.07
<b>92A.12</b>	12	12		127.0	43.0	19.0	27.0	0.1
<b>92A.12PB</b>		12		127.0	43.0	19.0	27.0	0.1
<b>92A.13</b>	13	13		127.0	43.0	20.5	27.0	0.11
<b>92A.13PB</b>		13		127.0	43.0	20.5	27.0	0.11
<b>92A.14</b>	14	14		136.0	49.0	21.5	31.0	0.155
<b>92A.14PB</b>		14		136.0	49.0	21.5	31.0	0.155
<b>92A.15</b>	15	15		136.0	49.0	22.5	31.0	0.16
<b>92A.15PB</b>		15		136.0	49.0	22.5	31.0	0.16
<b>92A.16</b>	16	16		145.0	55.0	24.0	35.0	0.19
<b>92A.16PB</b>		16		145.0	55.0	24.0	35.0	0.19
<b>92A.17</b>	17	17		145.0	55.0	26.0	35.0	0.2
<b>92A.17PB</b>		17		145.0	55.0	26.0	35.0	0.2
<b>92A.18</b>	18	18		154.0	61.0	27.5	39.0	0.225
<b>92A.18PB</b>		18		154.0	61.0	27.5	39.0	0.225
<b>92A.19</b>	19	19		154.0	61.0	28.5	39.0	0.23
<b>92A.19PB</b>		19		154.0	61.0	28.5	39.0	0.23
<b>92A.20PB</b>		20		163.0	66.5	29.5	41.5	0.32
<b>92A.21</b>	21	21		163.0	67.5	31.0	42.5	0.325
<b>92A.21PB</b>		21		163.0	67.5	31.0	42.5	0.325
<b>92A.22</b>	22	22		172.0	68.0	32.0	42.5	0.35
<b>92A.22PB</b>		22		172.0	68.0	32.0	42.5	0.35
<b>92A.23</b>	23	23		165.0	72.5	33.0	46.5	0.39
<b>92A.24</b>	24	24		175.0	74.5	34.5	45.5	0.415
<b>92A.24PB</b>		24		175.0	74.5	34.5	45.5	0.415

<b>92A.30</b>	30	30		195.0	86.5	42.5	53.5	0.64
<b>92A.4</b>	4	4		95.0	23.5	8.5	16.5	0.02
<b>92A.4PB</b>		4		95.0	23.5	8.5	16.5	0.02
<b>92A.5</b>	5	5		95.0	23.5	9.5	16.0	0.02
<b>92A.5.5</b>	5,5	5.5		95.0	25.0	10.0	17.5	0.025
<b>92A.5.5PB</b>		5.5		95.0	25.0	10.0	17.5	0.025
<b>92A.5PB</b>		5		95.0	23.5	9.5	16.0	0.02
<b>92A.6</b>	6	6		100.0	26.5	10.5	17.5	0.03
<b>92A.6PB</b>		6		100.0	26.5	10.5	17.5	0.03
<b>92A.7</b>	7	7		100.0	28.5	11.5	19.5	0.03
<b>92A.7PB</b>		7		100.0	28.5	11.5	19.5	0.03
<b>92A.8</b>	8	8		109.0	31.5	13.0	20.5	0.045
<b>92A.8PB</b>		8		109.0	31.5	13.0	20.5	0.045
<b>92A.9</b>	9	9		109.0	33.0	14.5	22.0	0.05
<b>92A.9PB</b>		9		109.0	33.0	14.5	22.0	0.05