

S - Steckschlüssel 1/2", 12-Kant, metrisch



Beschreibung:

-

	a [mm]	A [mm]	A [°]	Durchmesser [mm]	Durchmesser D1 [mm]	Länge [mm]	Länge L1 [mm]	12-Punkt [mm]	Gewicht [g]
S.10	10	10		22.8	15.3	36.0	7.8	12.0	50.0
S.10PB		10		22.8				12.0	50.0
S.11	11.0	11.0		22.8	16.5	36.0	9.0	12.0	50.0
S.11PB		11.0		22.8	16.5	36.0	9.0	12.0	50.0
S.12	12.0	12.0		22.8	17.8	36.0	9.5	12.0	50.0
S.13	13.0	13.0		22.8	18.9	36.0	10.4	12.0	50.0
S.13PB		13.0		22.8	18.9	36.0	10.4	12.0	50.0
S.14	14.0	14.0		22.8	20.2	36.0	10.5	12.0	55.0
S.14PB		14.0		22.8	20.2	36.0	10.5	12.0	55.0
S.15	15.0	15.0		22.8	21.4	36.0	12.0	12.0	55.0
S.15PB		15.0		22.8	21.4	36.0	12.0	12.0	55.0
S.16	16.0	16.0		21.6	22.6	36.0	12.0	12.0	55.0
S.16PB		16.0		21.6	22.6	36.0	12.0	12.0	55.0
S.17	17.0	17.0		23.1	24.1	36.0	13.0	12.0	65.0
S.17PB		17.0		23.1	24.1	36.0	13.0	12.0	65.0
S.18	18.0	18.0		23.4	25.4	36.0	13.0	12.0	70.0
S.18PB		18.0		23.4	25.4	36.0	13.0	12.0	70.0
S.19	19.0	19.0		24.6	26.6	36.0	14.0	12.0	75.0
S.19PB		19.0		24.6	26.6	36.0	14.0	12.0	75.0
S.20	20.0	20.0		25.4	27.4	36.0	14.0	12.0	80.0
S.20PB		20.0		25.4	27.4	36.0	14.0	12.0	80.0
S.21	21.0	21.0		25.1	29.1	38.0	16.0	12.0	85.0
S.21PB		21.0		25.1	29.1	38.0	16.0	12.0	85.0
S.22	22.0	22.0		26.4	30.4	38.0	16.5	12.0	95.0
S.22PB		22.0		26.4	30.4	38.0	16.5	12.0	95.0
S.23	23.0	23.0		27.6	31.6	38.0	16.5	12.0	105.0
S.23PB		23.0		27.6	31.6	38.0	16.5	12.0	105.0
S.24	24.0	24.0		28.7	32.7	38.0	16.5	12.0	115.0

S.24PB		24.0		28.7	32.7	38.0	16.5	12.0	115.0
S.25	25.0	25.0		27.7	34.1	38.0	16.5	12.0	125.0
S.25PB		25.0		27.7	34.1	38.0	16.5	12.0	125.0
S.26	26.0	26.0		29.0	35.4	38.0	16.5	12.0	135.0
S.26PB		26.0		29.0	35.4	38.0	16.5	12.0	135.0
S.27	27.0	27.0		29.2	36.6	44.0	19.0	12.0	160.0
S.27PB		27.0		29.2	36.6	44.0	19.0	12.0	160.0
S.28	28.0	28.0		30.5	37.9	44.0	20.0	12.0	175.0
S.28PB		28.0		30.5	37.9	44.0	20.0	12.0	175.0
S.29	29.0	29.0		31.3	38.7	44.0	20.0	12.0	190.0
S.29PB		29.0		31.3	38.7	44.0	20.0	12.0	190.0
S.30	30.0	30.0		33.0	40.4	44.0	20.0	12.0	200.0
S.30PB		30.0		33.0	40.4	44.0	20.0	12.0	200.0
S.31	31.0	31.0		34.2	41.6	44.0	20.0	12.0	205.0
S.32	32.0	32.0		35.1	42.5	44.0	20.0	12.0	210.0
S.32PB		32.0		35.1	42.5	44.0	20.0	12.0	210.0
S.34	34.0	34.0		37.5	44.9	44.0	20.0	12.0	240.0
S.8	8.0	8.0		22.8	13.1	36.0	6.5	12.0	45.0
S.8PB		8.0		22.8	13.1	36.0	6.5	12.0	45.0
S.9	9.0	9.0		22.8	13.8	36.0	6.5	12.0	50.0
S.9PB		9.0		22.8	13.8	36.0	6.5	12.0	50.0