


S.H - Steckschlüssel 1/2", 6-Kant, metrisch



Beschreibung:

-

	a [mm]	A [mm]	A [°]	Durchmesser [mm]	Durchmesser D1 [mm]	Länge [mm]	Länge L1 [mm]	Gewicht [g]
S.10H	10.0	10.0		22.8	15.3	36.0	7.8	50.0
S.10HPB		10.0		22.8	15.3	36.0	7.8	50.0
S.11H	11.0	11.0		22.8	16.5	36.0	9.0	50.0
S.11HPB		11.0		22.8	16.5	36.0	9.0	50.0
S.12H	12.0	12.0		22.8	17.8	36.0	9.5	50.0
S.12HPB		12.0		22.8	17.8	36.0	9.5	50.0
S.13H	13.0	13.0		22.8	18.9	36.0	10.4	50.0
S.13HPB		13.0		22.8	18.9	36.0	10.4	50.0
S.14H	14.0	14.0		22.8	20.2	36.0	10.5	55.0
S.14HPB		14.0		22.8	20.2	36.0	10.5	55.0
S.15H	15.0	15.0		22.8	21.4	36.0	12.0	55.0
S.15HPB		15.0		22.8	21.4	36.0	12.0	55.0
S.16H	16.0	16.0		21.6	22.6	36.0	12.0	55.0
S.16HPB		16.0		21.6	22.6	36.0	12.0	55.0
S.17H	17.0	17.0		23.1	24.1	36.0	13.0	65.0
S.17HPB		17.0		23.1	24.1	36.0	13.0	65.0
S.18H	18.0	18.0		23.4	25.5	36.0	13.0	70.0
S.18HPB		18.0		23.4	25.5	36.0	13.0	70.0
S.19H	19.0	19.0		24.6	26.6	36.0	14.0	75.0
S.19HPB		19.0		24.6	26.6	36.0	14.0	75.0
S.20H	20.0	20.0		25.4	27.4	36.0	14.0	80.0
S.21H	21.0	21.0		25.1	29.1	38.0	16.0	85.0
S.22H	22.0	22.0		26.4	30.4	38.0	16.5	95.0
S.22HPB		22.0		26.4	30.4	38.0	16.5	95.0
S.23H	23.0	23.0		27.6	31.6	38.0	16.5	105.0
S.23HPB		23.0		27.6	31.6	38.0	16.5	105.0
S.24H	24.0	24.0		28.7	32.7	38.0	16.5	115.0
S.24HPB		24.0		28.7	32.7	38.0	16.5	115.0

S.25H	25.0	25.0		27.7	34.1	38.0	16.5	125.0
S.26H	26.0	26.0		29.0	35.4	38.0	16.5	135.0
S.27H	27.0	27.0		29.2	36.6	44.0	19.0	160.0
S.28H	28.0	28.0		30.5	37.9	44.0	20.0	175.0
S.29H	29.0	29.0		31.3	38.7	44.0	20.0	190.0
S.30H	30.0	30.0		33.0	40.4	44.0	20.0	200.0
S.31H	31.0	31.0		34.2	41.6	44.0	20.0	205.0
S.32H	32.0	32.0		35.1	42.6	44.0	20.0	210.0
S.34H	34.0	34.0		37.5	44.9	44.0	20.0	240.0
S.8H	8.0	8.0		22.8	13.1	36.0	6.5	45.0
S.9H	9.0	9.0		22.8	13.8	36.0	6.5	50.0