

92A - Clés en tube coudées métriques



Description :

-

	A [mm]	longueur [mm]	Longueur L1 [mm]	Tête Largeur B [mm]	la taille H [mm]	Poids [kg]
92A.10	10	118.0	36.5	16.0	23.0	0.065
92A.10PB	10	118.0	36.5	16.0	23.0	0.065
92A.11	11	118.0	36.5	17.0	23.0	0.07
92A.11PB	11	118.0	36.5	17.0	23.0	0.07
92A.12	12	127.0	43.0	19.0	27.0	0.1
92A.12PB	12	127.0	43.0	19.0	27.0	0.1
92A.13PB	13	127.0	43.0	20.5	27.0	0.11
92A.14	14	136.0	49.0	21.5	31.0	0.155
92A.14PB	14	136.0	49.0	21.5	31.0	0.155
92A.15	15	136.0	49.0	22.5	31.0	0.16
92A.15PB	15	136.0	49.0	22.5	31.0	0.16
92A.16	16	145.0	55.0	24.0	35.0	0.19
92A.16PB	16	145.0	55.0	24.0	35.0	0.19
92A.17	17	145.0	55.0	26.0	35.0	0.2
92A.17PB	17	145.0	55.0	26.0	35.0	0.2
92A.18	18	154.0	61.0	27.5	39.0	0.225
92A.18PB	18	154.0	61.0	27.5	39.0	0.225
92A.19	19	154.0	61.0	28.5	39.0	0.23
92A.19PB	19	154.0	61.0	28.5	39.0	0.23
92A.20PB	20	163.0	66.5	29.5	41.5	0.32
92A.21	21	163.0	67.5	31.0	42.5	0.325
92A.21PB	21	163.0	67.5	31.0	42.5	0.325
92A.22	22	172.0	68.0	32.0	42.5	0.35
92A.22PB	22	172.0	68.0	32.0	42.5	0.35
92A.23	23	165.0	72.5	33.0	46.5	0.39
92A.24	24	175.0	74.5	34.5	45.5	0.415
92A.24PB	24	175.0	74.5	34.5	45.5	0.415

92A.30	30	195.0	86.5	42.5	53.5	0.64
92A.4	4	95.0	23.5	8.5	16.5	0.02
92A.4PB	4	95.0	23.5	8.5	16.5	0.02
92A.5	5	95.0	23.5	9.5	16.0	0.02
92A.5.5	5.5	95.0	25.0	10.0	17.5	0.025
92A.5.5PB	5.5	95.0	25.0	10.0	17.5	0.025
92A.5PB	5	95.0	23.5	9.5	16.0	0.02
92A.6	6	100.0	26.5	10.5	17.5	0.03
92A.6PB	6	100.0	26.5	10.5	17.5	0.03
92A.7	7	100.0	28.5	11.5	19.5	0.03
92A.7PB	7	100.0	28.5	11.5	19.5	0.03
92A.8	8	109.0	31.5	13.0	20.5	0.045
92A.8PB	8	109.0	31.5	13.0	20.5	0.045
92A.9	9	109.0	33.0	14.5	22.0	0.05
92A.9PB	9	109.0	33.0	14.5	22.0	0.05