


222A.T - Forets taillés



Description :

- Pour acier jusqu'à 800MPa, acier inoxydable, fonte grise, alliage d'aluminium.

	longueur [mm]	Poids [g]	Longueur [mm]
222A.T1	35.0	5.0	
222A.T1.5	40.0	5.0	
222A.T10	132.0	60.0	132
222A.T10.2	132.0	65.0	
222A.T10.5	132.0	70.0	
222A.T11	142.0	80.0	
222A.T11.5	142.0	90.0	
222A.T12	152.0	100.0	
222A.T12.5	152.0	110.0	
222A.T13	152.0	115.0	
222A.T2	50.0	5.0	
222A.T2.5	57.0	5.0	
222A.T3	62.0	5.0	
222A.T3.3	65.0	5.0	
222A.T3.5	70.0	5.0	
222A.T4	75.0	10.0	
222A.T4.2	75.0	10.0	
222A.T4.5	80.0	10.0	
222A.T5	85.0	10.0	
222A.T5.5	92.0	15.0	
222A.T6	92.0	15.0	
222A.T6.5	102.0	20.0	
222A.T6.8	105.0	25.0	
222A.T7	107.0	25.0	
222A.T7.5	110.0	30.0	
222A.T8	117.0	35.0	
222A.T8.5	117.0	40.0	
222A.T9	127.0	50.0	
222A.T9.5	127.0	55.0	

